



LEE-TECH

Innovation for
Lighting your **Road**

Qingdao Litech Lighting Co., Ltd.
青岛利泰克照明有限公司
No.7, Jilongpo Road, Free Trade Zone, Qingdao, China
青岛市保税区吉隆坡路7号
Tel/电话: +86-532-86766020/86768090
Fax/传真: +86-532-86766303

www.chinalee-tech.com

Qualify your safety

Introduction:

Qingdao litech lighting is one of **long-standing** automotive lighting manufacture in China which has been established under sprits of **Honesty** from 1997.

We introduced main production lines from Japan & Korea ,and imported **High-quality** material from **world-wide** leading companies.

Each of manufacturing process in our factory are under the **ISO/TS16949** control system, and all standard bulbs are based on the regulation of **ECE and SAE**.

Our products export to more than **30 countries** all over the world including **OEM and AF** market, with our **cooperative** technical support and giving attitude.

As a member of global village, we are glad to be your partner to build **brighter** future together.





Focusing on your way



Approved quality assurance


Our Products



Long Life	Super Long Life	Plus 50%	Super Vision Ultra	Platinum White	Super White
Up to 2 times the life	Up to 3 times the life	Up to 50% more light	Up to 80% more light	Up to 100% more light	Brilliant white daylight



Xenon Yellow	X-tremeVision	All Weather	Heavy Duty	Heavy Duty Long Life	Rally
Extreme Yellow light for style	Further visibility faster react	Bulbs for all weather conditions	Bulbs with increased vibration resistance	Bulbs with increased vibration resistance and Life time	Maximum performance for off-road



ISO TS16949 ISO 9001:2008 E4 DOT E13



Super Long Life



Reliable Performance

- Up to 3 times longer life time than standard bulbs
- Less replacement

Longer life time, more safety

- The best durability
- Perfect solution for daytime running system
- Meet ECE R37 & SAE/DOT regulation

- Available types
H7, H8, H11, H16, 9005, 9006



X-TremeVision

Cool light through special coating

- Increased performance with high color temperature

UP to 150% brighter light for a sportive drive

- Further visibility, faster react
- Ideal for driving on poorly road condition

- Available types
H4, H7



12V

CAR LIGHTING

We are over **20 years** experienced manufacture offering **all range** of Halogen automotive bulbs with **High-quality** materials and **Mature-technology**. Enjoy your driving with our **approved** products

Which Bulb for which function

Low beam-High beam
 H1 H3 H4 H7 H9 H10 H11 H13 H15 9004 9005 9006 9007 9005XS 9006XS 9011 9012

Interior lights
 W3W W5W C5W FEST10W

Front indicators
 H21W P21W PY21W P27W W21W

Front fog lights
 H1 H3 H4 H7 H8 H11 H12 H16 9005 9006 880 881 885 H8B H11B H9B PS24W PSY19W PS19W PSY24W PSX24W PSY24W

Dashboard lights
 W1.2W W2.3W W3W W5W

3rd stop light
 W1.2W W2.3W W3W W5W W16W R5W R10W W21W

Trunk lights
 R5W R10W C5W FEST10W

Side indicators
 W3W W5W R5W R10W H21W T4W

Rear parking lights
 R5W R10W H6W T4W


Stop lights
 P21W P21/4W P21/5W PY21W P27/7W P27W W21W W21/5W W16W

License plate lights
 W3W W5W R5W R10W C5W FEST10W

Rear fog lights
 P21W PR21W H21W W16W PS19W

Rear indicators
 R5W R10W W16W P21W PY21W P27W W21W H21W PSY19W PSY24W


H1 E4 DOT



Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70101	H1		12	55	P14.5s	1550±15%
LT70102	H1	Long life	12	55	P14.5s	1550±15%
LT70103	H1	Plus 50%	12	55	P14.5s	1550±15%
LT70104	H1	Super Vision Ultra	12	55	P14.5s	1550±15%
LT70105	H1	Platinum White	12	55	P14.5s	1550±15%
LT70106	H1	ALL Weather	12	55	P14.5s	1550±15%
LT70107	H1	Xenon Yellow	12	55	P14.5s	1550±15%
LT70108	H1	Super White	12	55	P14.5s	1000±15%
LT70109	H1	Super White	12	100	P14.5s	1150±15%
LT70110	H1	Rally	12	100	P14.5s	2000±15%


H3 E4



Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70201	H3		12	55	PK22s	1450±15%
LT70202	H3	Long life	12	55	PK22s	1450±15%
LT70203	H3	Plus 50%	12	55	PK22s	1450±15%
LT70204	H3	Super Vision Ultra	12	55	PK22s	1450±15%
LT70205	H3	ALL Weather	12	55	PK22s	1450±15%
LT70206	H3	Xenon Yellow	12	55	PK22s	1450±15%
LT70207	H3	Super White	12	55	PK22s	950±15%
LT70208	H3	Super White	12	100	PK22s	1100±15%
LT70209	H3	Rally	12	100	PK22s	2000±15%


H4 E4 DOT



Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70301	H4		12	60/55	P43t	1650/1000±15%
LT70302	H4	Long life	12	60/55	P43t	1650/1000±15%
LT70303	H4	Super Long Life	12	60/55	P43t	1650/1000±15%
LT70304	H4	Plus 50%	12	60/55	P43t	1650/1000±15%
LT70305	H4	Super Vision Ultra	12	60/55	P43t	1650/1000±15%
LT70306	H4	Platinum White	12	60/55	P43t	1650/1000±15%
LT70307	H4	ALL Weather	12	60/55	P43t	1650/1000±15%
LT70308	H4	Xenon Yellow	12	60/55	P43t	1650/1000±15%
LT70309	H4	X-TremeVision	12	60/55	P43t	1650/1000±15%
LT70310	H4	Super White	12	60/55	P43t	1100/700±15%
LT70311	H4	Super White	12	100/90	P43t	1500/1000±15%
LT70312	H4	Rally	12	100/90	P43t	2300/1600±15%
LT70313	H4	Rally	12	130/90	P43t	2700/1800±15%


H7 E4



Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70401	H7		12	55	PX26d	1500±10%
LT70402	H7	Long life	12	55	PX26d	1500±10%
LT70403	H7	Super Long Life	12	55	PX26d	1500±10%
LT70404	H7	Plus 50%	12	55	PX26d	1500±10%
LT70405	H7	Super Vision Ultra	12	55	PX26d	1500±10%
LT70406	H7	Platinum White	12	55	PX26d	1500±10%
LT70407	H7	ALL Weather	12	55	PX26d	1500±10%
LT70408	H7	Xenon Yellow	12	55	PX26d	1500±10%
LT70409	H7	X-TremeVision	12	55	PX26d	1500±10%
LT70410	H7	Super White	12	55	PX26d	950±10%
LT70411	H7	Rally	12	100	PX26d	2000±15%


H8 E4



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70501	H8		12	35	PGJ19-1	800±15%
LT70502	H8	Long life	12	35	PGJ19-1	800±15%
LT70503	H8	Plus 50%	12	35	PGJ19-1	800±15%
LT70504	H8	Super Vision Ultra	12	35	PGJ19-1	800±15%
LT70505	H8	ALL Weather	12	35	PGJ19-1	800±15%
LT70506	H8	Xenon Yellow	12	35	PGJ19-1	800±15%
LT70507	H8	Super White	12	35	PGJ19-1	550±15%


H9 E4



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70601	H9		12	65	PGJ19-5	2100±10%
LT70602	H9	Long life	12	65	PGJ19-5	2100±10%
LT70603	H9	Plus 50%	12	65	PGJ19-5	2100±10%
LT70604	H9	Super Vision Ultra	12	65	PGJ19-5	2100±10%
LT70605	H9	ALL Weather	12	65	PGJ19-5	2100±10%
LT70606	H9	Xenon Yellow	12	65	PGJ19-5	2100±10%
LT70607	H9	Super White	12	65	PGJ19-5	1400±10%


H10 9145



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70701	H10		12	42	PY20d	850±15%


H11 E4 DOT



Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70801	H11		12	55	PGJ19-2	1350±10%
LT70802	H11	Long life	12	55	PGJ19-2	1350±10%
LT70803	H11	Super Vision Ultra	12	55	PGJ19-2	1350±10%
LT70804	H11	Platinum White	12	55	PGJ19-2	1350±10%
LT70805	H11	ALL Weather	12	55	PGJ19-2	1350±10%
LT70806	H11	Xenon Yellow	12	55	PGJ19-2	1350±10%
LT70807	H11	Super White	12	55	PGJ19-2	900±10%


H12 9055



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70901	H12		12	53	PZ20d	1050±15%


H13 DOT



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71001	H13		12	60/55	P26.4t	1700/1100±15%
LT71002	H13	Long life	12	60/55	P26.4t	1700/1100±15%
LT71003	H13	Plus 50%	12	60/55	P26.4t	1700/1100±15%
LT71004	H13	Super Vision Ultra	12	60/55	P26.4t	1700/1100±15%
LT71005	H13	Platinum White	12	60/55	P26.4t	1700/1100±15%
LT71006	H13	ALL Weather	12	60/55	P26.4t	1700/1100±15%
LT71007	H13	Xenon Yellow	12	60/55	P26.4t	1700/1100±15%
LT71008	H13	Super White	12	60/55	P26.4t	1000/700±15%
LT71009	H13	Super White	12	100/80	P26.4t	1200/1000±15%
LT71010	H13	Rally	12	100/80	P26.4t	1950/1500±15%

H15



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71101	H15		12	15/55	PGJ23T-1	200/1330±15%


H16



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71201	H16		12	19	PGJ19-3	500±10%


H8B



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71301	H8B		12	35	PGJY19-1	800±15%


H9B



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71401	H9B		12	65	PGJY19-5	2100±10%


H11B



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71501	H11B		12	55	PGJY19-2	1350±10%


H18



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71601	H18		12	65	PY26d-1	1700±8%


9004(HB1) DOT



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71701	9004		12	65/45	P29t	1200/700±15%
LT71702	9004	Rally	12	100/45	P29t	2000/1000±15%
LT71703	9004	Rally	12	100/80	P29t	2000/1550±15%


9005(HB3) E4 DOT



Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71801	9005		12	65	P20d	1700±12%
LT71802	9005	Long life	12	65	P20d	1700±12%
LT71803	9005	Plus 50%	12	65	P20d	1700±12%
LT71804	9005	Super Vision Ultra	12	65	P20d	1700±12%
LT71805	9005	Platinum White	12	65	P20d	1700±12%
LT71806	9005	Xenon Yellow	12	65	P20d	1700±12%
LT71807	9005	ALL Weather	12	65	P20d	1700±12%
LT71808	9005	Super White	12	65	P20d	1700±12%
LT71809	9005	Super White	12	100	P20d	1400±15%
LT71810	9005	Rally	12	100	P20d	2100±15%


9005XS



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT71901	9005XS		12	65	SPECIAL	1700±15%


9006(HB4) DOT



Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72001	9006		12	55	P22d	1000±15%
LT72002	9006	Long life	12	55	P22d	1000±15%
LT72003	9006	Plus 50%	12	55	P22d	1000±15%
LT72004	9006	Super Vision Ultra	12	55	P22d	1000±15%
LT72005	9006	Platinum White	12	55	P22d	1000±15%
LT72006	9006	Xenon Yellow	12	55	P22d	1000±15%
LT72007	9006	ALL Weather	12	55	P22d	1000±15%
LT72008	9006	Super White	12	55	P22d	700±15%
LT72009	9006	Super White	12	80	P22d	110±15%
LT72010	9006	Rally	12	80	P22d	1700±15%


9006XS



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72101	9006XS		12	55	SPECIAL	1000±15%


9007(HB5) DOT



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72201	9007		12	65/55	PX29t	1350/1000±15%
LT72202	9007	Rally	12	100/55	PX29t	2000/1000±15%
LT72203	9007	Rally	12	100/80	PX29t	2000/1550±15%


9011



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72301	9011		12	65	PX20d	2500±15%


9012



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72401	9012		12	55	PX22d	1875±15%


880(H27W-1)



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72501	880		12	27	PG13	477±15%


881(H27W-2)



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72601	881		12	27	PGJ13	477±15%


885



Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72701	885		12	50	PG13	1250±12%


PS24W



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72801	PS24W		12	24	PG20-3	500±15%


PSX24W



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72802	PSX24W		12	24	PG20-7	500±15%


PCY16W



Front fog lights-Rear indicators

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72803	PCY16W		13.5	16	PU20d/2	215±15%


PSY19W



Front fog lights-Rear indicators

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT72901	PSY19W		12	19	PG20/2	215±15%


PSY24W



Front fog lights-Rear indicators

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 72902	PSY24W		12	24	PG20-4	215±15%


PY24W



Front fog lights-Rear indicators

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 72903	PY24W		12	24	PGU20/4	215±15%


PS19W



Front fog lights-Rear fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 73001	PS19W		12	19	PG20-1	350±15%


P13W



Front fog lights-Rear fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 73002	P13W		12	13	PG18.5d-1	350±15%


PSY24W



Front fog lights-Rear indicators

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 73101	PSY24W		12	24	PG20-4	215±15%


HP24W



Front fog lights-Rear indicators

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 73102	HP24W		12	24	HPSL2A	215±15%


HP24WY



Front fog lights-Rear indicators

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 73103	HP24WY		12	24	HPSL2A	215±15%


W1.2W



3rd stop light-Dashboard lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73201	W1.2W	T5	12	1.2	W2×4.6d


W2.3W



3rd stop light-Dashboard lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73202	W2.3W	T5	12	2.3	W2×4.6d


W3W E4 E8



3rd stop light-License plate lights-Dashboard lights-Side indicators-Interior lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73301	W3W	T10	12	3	W2.1×9.5d


W5W E4 E8



3rd stop light-License plate lights-Dashboard lights-Side indicators-Interior lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73302	W5W	T10	12	5	W2.1×9.5d


WY5W E4 E8



3rd stop light-Side indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 73306	WY5W	T10	12	3	W2.1×9.5d


W16W



3rd stop light-Rear indicators-Stop lights-Rear fog lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73401	W16W	T15	12	16	W2.1×9.5d


WY16W



3rd stop light-Rear indicators-Stop lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73402	WY16W	T15	12	16	W2.1×9.5d


W21W



3rd stop light-Rear indicators-Stop lights-Front indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 73501	W21W	T20	12	21	W3×16d


WY21W



3rd stop light-Rear indicators-Stop lights-Front indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 73503	WY21W	T20	12	21	W3×16d


W21/5W



Stop lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73601	W21/5W	T20	12	21/5	W3×16q


P27W



Rear indicators-Stop lights-Front indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 73701	P27W	3156	12	27	W2.5×16d


P27/7W



Stop lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73801	P27/7W	3157	12	27/7	W2.5×16q


PY27/7W



Stop lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73802	PY27/7W	3157	12	27/7	W2.5×16q


P21W E4 E8



Stop lights-Rear fog lights-Rear indicators-Front indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 73901	P21W	S25	12	21	BA15s


PY21W E4



Rear indicators-Stop lights-Front indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 74001	PY21W	S25	12	21	BAU15s


P21/4W E4 E8



3rd stop light-Stop lights

Part No.	ECE	Class	Volt	Watt	Base
LT 74101	P21/4W	S25	12	21/4	BAZ15d


P21/5W E4 E8



3rd stop light-Stop lights

Part No.	ECE	Class	Volt	Watt	Base
LT 74102	P21/5W	S25	12	21/5	BAY15d


R5W E4 E8



3rd stop light-License plate lights-Side indicators-Rear parking lights-Trunk lights-Rear indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 74201	R5W	T16	12	5	BA15s


R10W E4 E8



3rd stop light-License plate lights-Side indicators-Rear parking lights-Trunk lights-Rear indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 74202	R10W	T16	12	10	BA15s


RY10W E4 E8



3rd stop light-Side indicators-Rear indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 74203	RY10W	T16	12	5	BA15s


T4W E4



Side indicators-Rear parking lights

Part No.	ECE	Class	Volt	Watt	Base
LT 74301	T4W	T8.5	12	4	BA9s


C5W 



Interior lights-Trunk lights-License plate lights

Part No.	ECE	Class	Volt	Watt	Base
LT 74401	C5W	T10.5×36	12	5	SV8.5


Festoon



Interior lights-Trunk lights-License plate lights

Part No.	ECE	Class	Volt	Watt	Base
LT 74501	Festoon	T10.5×31	12	10	SV8.5


Festoon



Interior lights-Trunk lights-License plate lights

Part No.	ECE	Class	Volt	Watt	Base
LT 74601	Festoon	T10.5×38	12	10	SV8.5


Festoon



Interior lights-Trunk lights-License plate lights

Part No.	ECE	Class	Volt	Watt	Base
LT 74701	Festoon	T10.5×41	12	10	SV8.5


Festoon



Interior lights-Trunk lights-License plate lights

Part No.	ECE	Class	Volt	Watt	Base
LT 74801	Festoon	T10.5×43	12	10	SV8.5


H6W



Front indicators-Side indicators-Rear parking lights-Rear fog lights-Rear indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 74901	H6W	T2-3/4	12	6	BAX9s

H21W



Front indicators-Side indicators-Rear parking lights-Rear fog lights-Rear indicators

Part No.	ECE	Class	Volt	Watt	Base
LT 74902	H21W	T2-3/4	12	21	BAY9s

24V

Heavy Duty Truck and bus lighting



We are now offering improved **Vibration Resistance** and **Ultimate Lifetime**, for your driving safety and maximum performance

Which Bulb for which function

Low beam-High beam
H1 H3 H4 H7 H11

Front fog lights
H1 H3 H4 H7 H11

Interior lights
W5W C5W R5W

Dashboard lights
W1.2W W5W

Front indicators
H21W P21W PY21W

Front parking lights
W3W R5W T4W
W5W R10W

Side indicators
W5W R5W H21W
R10W

Stop lights
P21W P21/5W H21W

Rear fog lights
P21W H21W

Running lights
W5W R5W C5W T4W
W5W R10W

Rear parking lights
R5W P21/4W
R10W P21/5W

License plate lights
W5W R5W C5W
R10W

Rear indicators
P21W PY21W H21W

H1 E4

Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 70111	H1		24	70	P14.5s	1900±15%
LT 70112	H1	Heavy Duty Long Life	24	70	P14.5s	1900±15%
LT 70113	H1	Rally	24	100	P14.5s	2100±15%

H3 E4

Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 70210	H3		24	70	PK22s	1750±15%
LT 70211	H3	Heavy Duty Long Life	24	70	PK22s	1750±15%
LT 70212	H3	Rally	24	100	PK22s	2100±15%

H4 E4

Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 70314	H4		24	75/70	P43t	1900/1200±15%
LT 70315	H4	Heavy Duty Long Life	24	75/70	P43t	1900/1200±15%
LT 70316	H4	Rally	24	100/90	P43t	2100/1600±15%

H7 E4

Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 70412	H7		24	70	PX26d	1750±10%
LT 70413	H7	Heavy Duty Long Life	24	70	PX26d	1750±10%
LT 70414	H7	Rally	24	100	PX26d	2000±15%

H11 E4

Low beam-High beam-Front fog lights

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT 70808	H11		24	70	PGJ19-2	1600±10%
LT 70809	H11	Heavy Duty Long Life	24	70	PGJ19-2	1600±10%

24V signaling and interior lighting

W1.2W

Dashboard lights


Part No.	ECE	Class	Volt	Watt	Base
LT 73203	W1.2W	T5	24	1.2	W2×4.6d

W3W-W5W

Interior lights-Dashboard lights-License plate lights-Front parking lights-Side indicators-Running lights

Part No.	ECE	Class	Volt	Watt	Base
LT 73303	W3W	T10	24	3	W2.1×9.5d
LT 73304	W5W	T10	24	5	W2.1×9.5d


R5W-R10W



Interior lights-License plate lights-Front parking lights-Side indicators-Running lights-Rear parking lights

Part No.	ECE	Class	Volt	Watt	Base
LT74203	R5W	T16	24	5	BA15s
LT74204	R10W	T16	24	10	BA15s


P21W



Front indicators-Stop lights-Rear indicators-Rear fog lights

Part No.	ECE	Class	Volt	Watt	Base
LT73902	P21W	S25	24	21	BA15s


PY21W



Front indicators-Rear indicators

Part No.	ECE	Class	Volt	Watt	Base
LT74001	PY21W	S25	24	21	BAU15s


P21/4W-P21/5W



Stop lights-Rear parking lights

Part No.	ECE	Class	Volt	Watt	Base
LT74103	P21/4W	S25	24	21/4	BAZ15d
LT74104	P21/5W	S25	24	21/5	BAY15d


C5W



Interior lights-License plate lights-Running lights

Part No.	ECE	Class	Volt	Watt	Base
LT74402	C5W	T10.5×36	24	5	SV8.5


T4W



Front parking lights-Running lights

Part No.	ECE	Class	Volt	Watt	Base
LT74302	T4W	T8.5	24	4	BA9s

H21W



Front indicators-Rear indicators-Rear fog lights-Stop lights-Side indicators

Part No.	ECE	Class	Volt	Watt	Base
LT74903	H21W	T2-3/4	24	21	BAY9s

Xenon

HID - Headlight lamps

• Thanks to our latest lighting technology, **LEE-TECH** lamps provide a major leap in road safety over conventional halogen lamps due to enormous increase in the illuminated field of vision.

• **Better visibility and illumination**- the light emitted provides the driver with many benefits. It assists the human eye and allows better visibility and improved hazard awareness, allowing the driver to navigate poor driving conditions with **increased confidence and with less fatigue.**

• Lower power consumption – 35W only instead of 55W (ordinary halogen lamp power consumption).


• Better durability – excellent vibration and shock resistance giving significantly greater reliability. **and maximum performance.**



Xenon HID Bulbs




D1S



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75601	D1S		85	35	PK32d-2	3300±100Lm


D1R



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75602	D1R		85	35	PK32d-3	3000±100Lm


D2S



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75701	D2S		85	35	P32d-2	3300±100Lm


D2R



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75702	D2R		85	35	P32d-3	3000±100Lm


D3S



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75801	D3S		42	35	PK32d-5	3300±100Lm


D3R



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75802	D3R		42	35	PK32d-6	3000±100Lm


D4S



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75901	D4S		42	35	P32d-5	3300±100Lm


D4R



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75902	D4R		42	35	P32d-6	3000±100Lm

D5S



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT76001	D5S		42	25	PK32d-7	1950±100Lm

Ballast



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76001	AL Bosch	1307329060	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76002	AL Bosch	1307329312	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76003	Mitsubishi Electric	W003T20171	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76004	Mitsubishi Electric	W003T22071	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76005	Hella	5DV008290-00	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76006	Hella	5DV009000-00	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76007	Valeo	89034934	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76008	Valeo	89035113	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76009	AL	1307329153	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76010	Hella	5DV009610-00	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76011	Mitsubishi Electric	W3T13271	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76012	Philips	93235016	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76013	Hella	5DV007760-63	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76014	Valeo	89089352	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76015	Matsushita-Panasonic	NZMNS111LBNA	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76016	Osram	35XT6	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76017	Osram	35XT5	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76018	Mitsubishi Electric	W3T11971	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76019	Denso	DDLT003	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76020	Denso	DDLT004	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76021	Mitsubishi Electric	W3T10471	170 x 120 x 55 mm



Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76022	Mitsubishi Electric	W3T21571	170 x 120 x 55 mm




Part No.	Equivalent Brand	Equivalent NR	Dimensions package
LT 76023	Denso	DDLT002	170 x 120 x 55 mm




Two-wheeler

Discovery our increased motorcycle lighting solution for your Stylish driving pleasure.

Which Bulb for which function



Low beam-High beam




Front parking lights



Front indicators




Stop lights



License plate lights



Dashboard lights




Rear parking lights



Rear indicators


HS1 



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75001	HS1		12	35/35	PX43t	825/525±15%


M5



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75101	M5		12	25/25	P15d-25-1	540/540±15%
LT75102	M5	Rally	12	35/35	P15d-25-1	840/805±15%


M5



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75201	M5		12	25/25	P15d-25-3	540/540±15%
LT75202	M5	Rally	12	35/35	P15d-25-3	840/805±15%


M5



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75301	M5		12	35/35	BA20d	540/540±15%


H4 



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70301	H4		12	60/55	P43t	1650/1000±15%


H7 



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT70401	H7		12	55	PX26d	1500±10%
LT70411	H7	Rally	12	100	PX26d	2000±15%


R2 



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75401	R2		12	45/40	P45t	860/675±15%


S2



Low beam-High beam

Part No.	Spec.	Range	Volt	Watt	Base	Lumen
LT75501	S2		12	35/35	BA20d	650/465±15%

Mini relays



Normally open relays with 4 terminals

Part No.	Ampere	All with bracket
LT77001	30A	
LT77002	30A	With resistance
LT77003	40A	
LT77004	20A	
LT77005	20A	With resistance

Normally open relays with 4 terminals

Part No.	Ampere	All with bracket
LT77011	30A	
LT77012	40A	With resistance
LT77013	20A	

Normally open relays with 5 terminals

Part No.	Ampere	All with bracket
LT77021	30A	
LT77022	40A	
LT77023	20A	
LT75001	30A	

Changeover relay

Part No.	Ampere	All with bracket
LT77031	20/30A	
LT77032	10/20A	

Changeover relay

Part No.	Ampere	All with bracket
LT77041	20/30A	
LT77042	20/30A	With resistance
LT77043	20/30A	With diode
LT77044	10/20A	
LT77045	10/20A	With resistance
LT77046	10/20A	With diode
LT77047	30/40A	High power change over
LT77048	20/30A	High power change over


High power relay

Part No.	Ampere	All with bracket
LT77051	40A	Audi/VW type
LT77052	70A	
LT77053	40A	
LT77054	70A	

High power changeover


Part No.	Ampere	All with bracket
LT77061	70/40A	
LT77061	40/30A	

Fuses




Plug-in fuses big size

Part No.	Ampere	Colour
LT78101	20A	Yellow
LT78102	30A	Green
LT78103	40A	Orange
LT78104	50A	Red
LT78105	60A	Light blue
LT78106	70A	Brown
LT78107	80A	White
LT78108	100A	Violet



Plug-in fuses

Part No.	Ampere	Colour
LT78001	1A	Green
LT78002	2A	Grey
LT78003	3A	Violet
LT78004	4A	Pink
LT78005	5A	Orange
LT78006	7.5A	Brown
LT78007	10A	Red
LT78008	15A	Light blue
LT78009	20A	Yellow
LT78010	25A	White
LT78011	30A	Light green
LT78012	40A	Orange



Miniature plug-in fuses

Part No.	Ampere	Colour
LT78201	2A	Grey
LT78202	3A	Violet
LT78203	4A	Pink
LT78204	5A	Orange
LT78205	7.5A	Brown
LT78206	10A	Red
LT78207	15A	Light blue
LT78208	20A	Yellow
LT78209	25A	White
LT78210	30A	Green



Socket



Ceramics

Part No.	Designation
LT79001	Socket for H4 With cable With ceramic
LT79002	Socket for 9004/9007 With cable With ceramic
LT79003	Holder for H1/H3 With cable With ceramic
LT79004	Socket for H7 With cable With ceramic
LT79005	Socket for HB3 With cable With ceramic
LT79007	Socket for HB4 With cable With ceramic
LT79006	Socket for H8, H11 and H27 With cable With ceramic

Plastic

Part No.	Designation
LT79101	Socket for H4 With cable Without ceramic
LT79102	Socket for 9004/9007 With cable Without ceramic
LT79103	Holder for H1/H3 With cable Without ceramic
LT79104	Socket for H7 With cable Without ceramic
LT79105	Socket for HB3 With cable Without ceramic
LT79107	Socket for HB4 With cable Without ceramic
LT79106	Socket for H8, H11 and H27 With cable Without ceramic

Commercial Package Design




















































Blister Card & Carton Box



Plastic Case



Drawings Base Parts

 P14,5s IEC 7004-46	 PK22s IEC 7004-47	 PX26d IEC 7004-5	 PY26d-1 IEC 7004-5	 PY26d-6 IEC 7004-5	 P43t-38 IEC 7004-39	 PX43t-38 IEC 7004-34
 PY20d IEC 7004-31	 PZ20d IEC 7004-31-2	 PGJ13 IEC 7004-107	 PG13 IEC 7004-107	 PGJ19-1 IEC 7004-110	 PGJ19-2 IEC 7004-110	 PGJ19-3 IEC 7004-110
 PGJ19-5 IEC 7004-110	 PGJY19-1 IEC 7004-146	 PGJY19-2 IEC 7004-146	 PGJY19-5 IEC 7004-146	 PGJ23t-1 IEC 7004-155	 P29t IEC 7004-66	 PX29t IEC 7004-66
 P26.4t IEC 7004-128	 P20d IEC 7004-31	 P22d IEC 7004-32	 PX20d IEC 7004-31	 PX22d IEC 7004-32	 P20d IEC 7004-31	 P22d IEC 7004-32
 SV6 IEC 7004-5	 SV8,5-8 IEC 7004-81	 W2x4,6d IEC 7004-94	 W2,1x9,5d IEC 7004-91	 W3x16d IEC 7004-105	 W3x16q IEC 7004-106	 WX3x16d IEC 7004-105
 BA9s IEC 7004-14	 BAX9s IEC 7004-8	 BAZ9s IEC 7004-150	 BAY9s IEC 7004-9	 BAW9s IEC 7004-149	 BA 15s IEC 7004-11A	 BA 15d IEC 7004-11A
 BAU 15s IEC 7004-19	 BAW 15s IEC 7004-11E	 BAW 15d IEC 7004-11E	 BAZ 15d IEC 7004-11C	 BAY 15d IEC 7004-11B	 PX32d IEC 7004-111	 P32d IEC 7004-111